


PACKING LIST CV 2

PIC	SKU#	COLOR	PACK CODES	SIZE									PRS	CTNS	carton number	QUTY	N.W. (KGS)	G.W. (KGS)	MEAS.		CBM
				36.5	37	38	39	40	41	42	43	W							L		
	150149V	BLACK	SOLID	12								12	12	1_12	144	120.0	144.0	42	45.0	35.5	0.81
	150149V	BLACK	SOLID		12							12	11	13_23	132	110.0	132.0	42	45.0	35.5	0.74
	150149V	BLACK	SOLID			12						12	11	24_34	132	110.0	132.0	42	45.0	35.5	0.74
	150149V	BLACK	SOLID				12					12	12	35_46	144	120.0	144.0	42	45.0	35.5	0.81
	150149V	BLACK	SOLID					12				12	11	47_57	132	110.0	132.0	42	45.0	35.5	0.74
	150149V	BLACK	SOLID						12			12	10	58_67	120	100.0	120.0	42	45.0	35.5	0.67
	150149V	BLACK	SOLID							12		12	12	68_79	144	120.0	144.0	42	45.0	35.5	0.81
	150149V	BLACK	SOLID								12	12	1	80	12	10.0	12.0	42	45.0	35.5	0.07
				144	132	132	144	132	120	144	12		80	960	790	960					5.4
	150152V	NAVY	SOLID	12								12	18	81_98	216	180.0	216.0	42	45.0	35.5	1.21
	150152V	NAVY	SOLID		12							12	19	99_117	228	190.0	228.0	42	45.0	35.5	1.27
	150152V	NAVY	SOLID			12						12	11	118_128	132	110.0	132.0	42	45.0	35.5	0.74
	150152V	NAVY	SOLID				12					12	10	129_138	120	100.0	120.0	42	45.0	35.5	0.67
	150152V	NAVY	SOLID					12				12	21	139_159	252	210.0	252.0	42	45.0	35.5	1.41
	150152V	NAVY	SOLID						12			12	22	160_181	264	220.0	264.0	42	45.0	35.5	1.48
	150152V	NAVY	SOLID							12		12	21	182_202	252	210.0	252.0	42	45.0	35.5	1.41
	150152V	NAVY	SOLID								12	12	2	203_204	24	20.0	24.0	42	45.0	35.5	0.13
				216	228	132	120	252	264	252	24		124	1488	1,240	1,488					8.3
	150150V	Bordeaux	SOLID	12								12	13	205_217	156	130.0	156.0	42	45.0	35.5	0.87
	150150V	Bordeaux	SOLID		12							12	12	218_229	144	120.0	144.0	42	45.0	35.5	0.81
	150150V	Bordeaux	SOLID			12						12	9	230_238	108	90.0	108.0	42	45.0	35.5	0.60
	150150V	Bordeaux	SOLID				12					12	14	239_252	168	140.0	168.0	42	45.0	35.5	0.94
	150150V	Bordeaux	SOLID					12				12	12	253_264	144	120.0	144.0	42	45.0	35.5	0.81
	150150V	Bordeaux	SOLID						12			12	9	265_273	108	90.0	108.0	42	45.0	35.5	0.60
	150150V	Bordeaux	SOLID							12		12	12	274_285	144	120.0	144.0	42	45.0	35.5	0.81
	150150V	Bordeaux	SOLID								12	12	12	286_297	144	120.0	144.0	42	45.0	35.5	0.81
				156	144	108	168	144	108	144	144		93	1116	930	1,116					6.2
	150153C	GREY	SOLID	12								12	16	298_313	192	160.0	192.0	42	45.0	35.5	1.07
	150153C	GREY	SOLID		12							12	3	314_316	36	30.0	36.0	42	45.0	35.5	0.20
	150153C	GREY	SOLID			12						12	3	317_319	36	30.0	36.0	42	45.0	35.5	0.20
	150153C	GREY	SOLID				12					12	5	320_324	60	50.0	60.0	42	45.0	35.5	0.34
	150153C	GREY	SOLID					12				12	5	325_329	60	50.0	60.0	42	45.0	35.5	0.34
	150153C	GREY	SOLID						12			12	2	330_331	24	20.0	24.0	42	45.0	35.5	0.13
	150153C	GREY	SOLID							12		12	8	332_339	96	80.0	96.0	42	45.0	35.5	0.54
	150153C	GREY	SOLID								12	12	5	340_344	60	50.0	60.0	42	45.0	35.5	0.34
				192	36	36	60	60	24	96	60		47	564	470	564					3.2
	150146V	NAVY	SOLID	12								12	3	345_347	36	30.0	36.0	42	45.0	35.5	0.20
	150146V	NAVY	SOLID		12							12	7	348_354	84	70.0	84.0	42	45.0	35.5	0.47
	150146V	NAVY	SOLID			12						12	1	355	12	10.0	12.0	42	45.0	35.5	0.07
	150146V	NAVY	SOLID				12					12	3	356_358	36	30.0	36.0	42	45.0	35.5	0.20
	150146V	NAVY	SOLID					12				12	3	359_361	36	30.0	36.0	42	45.0	35.5	0.20
	150146V	NAVY	SOLID						12			12	3	362_364	36	30.0	36.0	42	45.0	35.5	0.20
	150146V	NAVY	SOLID							12		12	2	365_366	24	20.0	24.0	42	45.0	35.5	0.13
	150146V	NAVY	SOLID								12	12	11	367_377	132	110.0	132.0	42	45.0	35.5	0.74
				36	84	12	36	36	36	24	132		33	396	330	396					2.2
	150144V	Bordeaux	SOLID	12								12	21	378_398	252	210.0	252.0	42	45.0	35.5	1.41
	150144V	Bordeaux	SOLID		12							12	13	399_411	156	130.0	156.0	42	45.0	35.5	0.87
	150144V	Bordeaux	SOLID			12						12	14	412_425	172	143.3	172.0	42	45.0	35.5	0.96
	150144V	Bordeaux	SOLID				12					12	24	426_449	288	240.0	288.0	42	45.0	35.5	1.61
	150144V	Bordeaux	SOLID					12				12	24	450_473	288	240.0	288.0	42	45.0	35.5	1.61
	150144V	Bordeaux	SOLID						12			12	28	474_501	336	280.0	336.0	42	45.0	35.5	1.88
	150144V	Bordeaux	SOLID							12		12	24	502_525	288	240.0	288.0	42	45.0	35.5	1.61
	150144V	Bordeaux	SOLID								12	12	19	526_544	228	190.0	228.0	42	45.0	35.5	1.27



				252	156	172	288	288	336	288	228		167		2008	1,673	2,008					11.2
	150147V	Grey	SOLID	12								12	26	545_570	312	260.0	312.0	42	45.0	35.5	1.74	
	150147V	Grey	SOLID		12							12	17	571_587	204	170.0	204.0	42	45.0	35.5	1.14	
	150147V	Grey	SOLID			12						12	26	588_613	312	260.0	312.0	42	45.0	35.5	1.74	
	150147V	Grey	SOLID				12					12	26	614_639	312	260.0	312.0	42	45.0	35.5	1.74	
	150147V	Grey	SOLID					12				12	25	640_664	300	250.0	300.0	42	45.0	35.5	1.68	
	150147V	Grey	SOLID						12			12	21	665_685	252	210.0	252.0	42	45.0	35.5	1.41	
	150147V	Grey	SOLID							12		12	16	686_701	192	160.0	192.0	42	45.0	35.5	1.07	
	150147V	Grey	SOLID								12	12	20	702_721	240	200.0	240.0	42	45.0	35.5	1.34	
				312	204	312	312	300	252	192	240		177		2124	1,770	2,124					11.9
	50143V	Black	SOLID	12								12	11	722_732	132	110.0	132.0	42	45.0	35.5	0.74	
	50143V	Black	SOLID		12							12	11	733_743	132	110.0	132.0	42	45.0	35.5	0.74	
	50143V	Black	SOLID			12						12	8	744_751	96	80.0	96.0	42	45.0	35.5	0.54	
	50143V	Black	SOLID				12					12	4	752_755	48	40.0	48.0	42	45.0	35.5	0.27	
	50143V	Black	SOLID					12				12	1	756	12	10.0	12.0	42	45.0	35.5	0.07	
	50143V	Black	SOLID						12			12	0		0	-	-	42	45.0	35.5	-	
	50143V	Black	SOLID							12		12	0		0	-	-	42	45.0	35.5	-	
	50143V	Black	SOLID								12	12	1	757	12	10.0	12.0	42	45.0	35.5	0.07	
				132	132	96	48	12	-	-	12		36		432							2.4
	M3310V	black	SOLID	12								12	17	758_774	204	170.0	204.0	42	45.0	35.5	1.14	
	M3310V	black	SOLID		12							12	17	775_791	204	170.0	204.0	42	45.0	35.5	1.14	
	M3310V	black	SOLID			12						12	17	792_808	204	170.0	204.0	42	45.0	35.5	1.14	
	M3310V	black	SOLID				12					12	17	809_825	204	170.0	204.0	42	45.0	35.5	1.14	
	M3310V	black	SOLID					12				12	17	826_842	204	170.0	204.0	42	45.0	35.5	1.14	
	M3310V	black	SOLID						12			12	17	843_859	204	170.0	204.0	42	45.0	35.5	1.14	
	M3310V	black	SOLID							12		12	14	860_873	168	140.0	168.0	42	45.0	35.5	0.94	
	M3310V	black	SOLID								12	12	10	874_883	120	100.0	120.0	42	45.0	35.5	0.67	
				204	204	204	204	204	204	168	120		126		1512							8.5
	144757C	black	SOLID	12								12	16	884_899	192	160.0	192.0	42	45.0	35.5	1.07	
	144757C	black	SOLID		12							12	11	900_910	132	110.0	132.0	42	45.0	35.5	0.74	
	144757C	black	SOLID			12						12	12	911_922	144	120.0	144.0	42	45.0	35.5	0.81	
	144757C	black	SOLID				12					12	12	923_934	144	120.0	144.0	42	45.0	35.5	0.81	
	144757C	black	SOLID					12				12	15	935_949	180	150.0	180.0	42	45.0	35.5	1.01	
	144757C	black	SOLID						12			12	10	950_959	120	100.0	120.0	42	45.0	35.5	0.67	
	144757C	black	SOLID							12		12	23	960_982	276	230.0	276.0	42	45.0	35.5	1.54	
	144757C	black	SOLID								12	12	12	983_994	144	120.0	144.0	42	45.0	35.5	0.81	
				192	132	144	144	180	120	276	144		111		1332							7.4
	157544C	Bordeaux	SOLID	12								12	11	995_1005	132	110.0	132.0	42	45.0	35.5	0.74	
	157544C	Bordeaux	SOLID		12							12	11	1006_1016	132	110.0	132.0	42	45.0	35.5	0.74	
	157544C	Bordeaux	SOLID			12						12	12	1017_1028	144	120.0	144.0	42	45.0	35.5	0.81	
	157544C	Bordeaux	SOLID				12					12	11	1029_1039	132	110.0	132.0	42	45.0	35.5	0.74	
	157544C	Bordeaux	SOLID					12				12	12	1040_1051	144	120.0	144.0	42	45.0	35.5	0.81	
	157544C	Bordeaux	SOLID						12			12	13	1052_1064	156	130.0	156.0	42	45.0	35.5	0.87	
	157544C	Bordeaux	SOLID							12		12	14	1065_1078	168	140.0	168.0	42	45.0	35.5	0.94	
	157544C	Bordeaux	SOLID								12	12	5	1079_1083	60	50.0	60.0	42	45.0	35.5	0.34	
				132	132	144	132	144	156	168	60		89		1068	890	1,068					6.0
	149448C	optical white	SOLID	12								12	12	1084_1095	144	120.0	144.0	42	45.0	35.5	0.81	
	149448C	optical white	SOLID		12							12	18	1096_1113	216	180.0	216.0	42	45.0	35.5	1.21	
	149448C	optical white	SOLID			12						12	18	1114_1131	216	180.0	216.0	42	45.0	35.5	1.21	
	149448C	optical white	SOLID				12					12	17	1132_1148	204	170.0	204.0	42	45.0	35.5	1.14	
	149448C	optical white	SOLID					12				12	24	1149_1172	288	240.0	288.0	42	45.0	35.5	1.61	
	149448C	optical white	SOLID						12			12	23	1173_1195	276	230.0	276.0	42	45.0	35.5	1.54	
	149448C	optical white	SOLID							12		12	16	1196_1211	192	160.0	192.0	42	45.0	35.5	1.07	
	149448C	optical white	SOLID								12	12	14	1212_1225	168	140.0	168.0	42	45.0	35.5	0.94	
				144	216	216	204	288	276	192	168		142		1704	1,420	1,704					9.5
	142337C	red	SOLID	12								12	6	1226_1231	72	60.0	72.0	42	45.0	35.5	0.40	
	142337C	red	SOLID		12							12	8	1232_1239	96	80.0	96.0	42	45.0	35.5	0.54	





142337C	red	SOLID				12						12	8	1240_1247	96	80.0	96.0	42	45.0	35.5	0.54
142337C	red	SOLID				12						12	14	1248_1261	168	140.0	168.0	42	45.0	35.5	0.94
142337C	red	SOLID					12					12	13	1262_1274	156	130.0	156.0	42	45.0	35.5	0.87
142337C	red	SOLID								12		12	9	1275_1283	108	90.0	108.0	42	45.0	35.5	0.60
142337C	red	SOLID									12	12	8	1284_1291	96	80.0	96.0	42	45.0	35.5	0.54
142337C	red	SOLID									12	12	6	1292_1297	72	60.0	72.0	42	45.0	35.5	0.40



151090V	Red/black	SOLID	12									12	3	1298_1300	36	30.0	36.0	42	45.0	35.5	0.20
151090V	Red/black	SOLID		12								12	5	1301_1305	60	50.0	60.0	42	45.0	35.5	0.34
151090V	Red/black	SOLID			12							12	3	1306_1308	36	30.0	36.0	42	45.0	35.5	0.20
151090V	Red/black	SOLID				12						12	5	1309_1313	60	50.0	60.0	42	45.0	35.5	0.34
151090V	Red/black	SOLID					12					12	2	1314_1315	24	20.0	24.0	42	45.0	35.5	0.13
151090V	Red/black	SOLID						12				12	3	1316_1318	36	30.0	36.0	42	45.0	35.5	0.20
151090V	Red/black	SOLID							12			12	2	1319_1320	24	20.0	24.0	42	45.0	35.5	0.13
151090V	Red/black	SOLID								12		12	1	1321	12	10.0	12.0	42	45.0	35.5	0.07



					72	96	96	168	156	108	96	72		72		864	720	864				4.8
--	--	--	--	--	----	----	----	-----	-----	-----	----	----	--	----	--	-----	-----	-----	--	--	--	-----

PIC	STYLE NAME	COLOR	PACK CODES	SIZE								PRS	CTNS			N.W. (KGS)	G.W. (KGS)	MEAS.			CBM
				35	36.5	37.5	38	39	40	41	42										

M5039V	BLACK	SOLID	12									12	40	1322_1361	480	400.0	480.0	42	45.0	35.5	2.68
M5039V	BLACK	SOLID		12								12	22	1362_1383	264	220.0	264.0	42	45.0	35.5	1.48
M5039V	BLACK	SOLID			12							12	9	1384_1392	108	90.0	108.0	42	45.0	35.5	0.60
M5039V	BLACK	SOLID				12						12	0		0	-	-	42	45.0	35.5	-
M5039V	BLACK	SOLID					12					12	24	1393_1416	288	240.0	288.0	42	45.0	35.5	1.61
M5039V	BLACK	SOLID						12				12	31	1417_1447	372	310.0	372.0	42	45.0	35.5	2.08
M5039V	BLACK	SOLID							12			12	9	1448_1456	108	90.0	108.0	42	45.0	35.5	0.60
M5039V	BLACK	SOLID								12		12	4	1457_1460	48	40.0	48.0	42	45.0	35.5	0.27



				480	264	108	-	288	372	108	48		139		1668	1,390	1,668				9.3
--	--	--	--	-----	-----	-----	---	-----	-----	-----	----	--	-----	--	------	-------	-------	--	--	--	-----

GRAND TOTAL				2,700	2,220	1,948	2,088	2,508	2,412	2,172	1,476		1,460		17524	11,863	14,248				98
-------------	--	--	--	-------	-------	-------	-------	-------	-------	-------	-------	--	-------	--	-------	--------	--------	--	--	--	----